Fiche technique nacelle à mât vertical électrique JLG Toucan T10E

Disponible à la location et à la vente chez Exlema, partout au Maroc.


Model
TOUCAN 10E
MAST BOOM LIFTS
JLG

MORE ECONOMIC
• Electric power for zero emissions and near-silent running indoors.

MORE PRODUCTIVE
• No waiting with immediate-response AC drive motors for greater torque and efficiency.

MORE ACCESS
• Get into more places with compact dimensions and precise control system.

SMART DESIGN
• Extended reach and up-and-over height with heavy duty forklift-style mast and versatile articulating jib.

Standard Features
• 0.90 m x 0.70 m (L x W) steel platform
• Slide bar rear entry
• Full proportional drive and slew joystick control with integral thumb steer switch
• Mini joysticks provide proportional mast and jib lift/lower functions
• 1.60 m articulating jib
• Load sensing system
• AC power cable to platform
• Large tool tray
• Two wheel direct electric drive
• Brushless AC drive motors
• Auto power save when idle
• Low charge function cut-out
• On-board diagnostics with integral display
• Automatic rear wheel brakes
• Sculptured polyester hoods
• Heavy duty steel roller mast with 345° rotation
• Chain slack detection system
• 2.5 degree tilt alarm and indicator light
• Passive pothole protection system
• 0.99 m wide frame
• Lifting /tie down rings
• Ground control selector switch with key lock
• Battery discharge indicator
• Hour meter
• Horn
• Drive orientation system
• Lanyard anchor points
• Zenon strobe light
• Manual descent system

Standard Specifications
• Tyres (non-marking solid) 406 x 125 mm
• Electrical system 24V DC
• Batteries (AGM) 24V - 260 A h
• Charger 24V - 27A
• Drive motors Dual AC motors
• Electrical (pump) motor 3kW 24V DC
• Hydraulic system 7.5 L

Accessories & Options
• 8 mm air line to platform
• Acoustic motion alarm
• Food Compatible Hydraulic Oil
• Low Temperature Hydraulic Oil
• Platform Power Plug & Socket [1]
• Platform work lights 70W
• Synthetic Biodegradable Hydraulic Oil
• Special paint colour

[1] Included with circuit breaker on AC cable to platform options (NB 110V or 230V power must be specified)

Les pages suivantes reproduisent la fiche technique officielle JLG, sans modification. Toutes les dimensions sont exprimées en mètres et les poids en kilogrammes.

Devis, disponibilité et prix de location

06 61 36 09 35

WhatsApp +212 661 36 09 35 · contact@exlema.ma

105 Rue 24 Essaada 2 Qods Bernoussi 20610 Casablanca

Ouvert 24h/24 et 7j/7 · exlema.ma

Toutes nos fiches

Model
TOUCAN 10E
MAST BOOM LIFTS



MORE ECONOMIC
- Electric power for zero emissions and near-silent running indoors.

MORE PRODUCTIVE
- No waiting with immediate-response AC drive motors for greater torque and efficiency.

MORE ACCESS
- Get into more places with compact dimensions and precise control system.

SMART DESIGN
- Extended reach and up-and-over height with heavy duty forklift-style mast and versatile articulating jib.

Standard Features

- 0.90 m x 0.70 m (L x W) steel platform
- Slide bar rear entry
- Full proportional drive and slew joystick control with integral thumb steer switch
- Mini joysticks provide proportional mast and jib lift/lower functions
- 1.60 m articulating jib
- Load sensing system
- AC power cable to platform
- Large tool tray
- Two wheel direct electric drive
- Brushless AC drive motors
- Auto power save when idle
- Low charge function cut-out
- On-board diagnostics with integral display
- Automatic rear wheel brakes
- Sculptured polyester hoods
- Heavy duty steel roller mast with 345º rotation
- Chain slack detection system
- 2,5 degree tilt alarm and indicator light
- Passive pothole protection system
- 0.99 m wide frame
- Lifting /tie down rings
- Ground control selector switch with key lock
- Battery discharge indicator
- Hour meter
- Horn
- Drive orientation system
- Lanyard anchor points
- Zenon strobe light
- Manual descent system

Standard Specifications

Tyres (non-marking solid)	406 x 125 mm
Electrical system	24V DC
Batteries (AGM)	24V - 260 A.h
Charger	24V - 27A
Drive motors	Dual AC motors
Electrical (pump) motor	3kW 24V DC
Hydraulic system	7.5 L

Accessories & Options

- 8 mm air line to platform
- Accoustic motion alarm
- Food Compatible Hydraulic Oil
- Low Temperature Hydraulic Oil
- Platform Power Plug & Socket [1]
- Platform work lights 70W
- Synthetic Biodegradable Hydraulic Oil
- Special paint colour

[1] Included with circuit breaker on AC cable to platform option. NB 110V or 230V power must be specified

EXLEMA — EXPERT LEVAGE ET MANUTENTION
Fiche technique nacelle à mât vertical électrique JLG Toucan T10E
Exlema — Expert Levage et Manutention · 105 Rue 24 Essaada 2 Qods Bernoussi 20610 Casablanca
Location, vente et maintenance de nacelles au Maroc · Ouvert 24h/24 et 7j/7
06 61 36 09 35
WhatsApp +212 661 36 09 35 · contact@exlema.ma
exlema.ma

Model
TOUCAN 10E
MAST BOOM LIFTS

Performance


• Working height	10.10 m
• Working outreach (standard platform)	3.38 m
• Up and over height	6.51 m
• Swing (not continuous)	345°
• Platform capacity [1]	200kg
• Jib - overall length	1.60 m
• Jib - range of articulation	126° (+65°/ -61°)
A. Platform size standard platform (L x W)	0.70 x 0.90 m
B. Overall width	0.99 m
C. Tailswing	12 cm
D. Stowed height	1.99 m
E. Overall length (standard platform)	2.82 m
F. Wheelbase	1.20 m
G. Ground clearance	10 cm
• Machine weight - standard platform [2]	2,980 kg
• Maximum ground bearing pressure	21.5 kg/cm²
• Drive speed - lowered	5.5 km/h
• Turning radius (outside)	1.99 m
• Turning radius (inside)	0.55 m
• Gradeability	25%

[1] Capacity shown is maximum two persons indoor and outdoor (12.5 m/s wind speed)


[2] Certain options or country standards may increase weight and/or dimensions.



Reach Diagram



Dimensions



IMPORTANT

JLG is continually researching and developing products and reserves the right to make modifications without prior notice. All data in this document is indicative. Certain options or country standards will increase weight. Specifications may change to meet country standards or with the addition of optional equipment.

Due to continuous product improvements, JLG Industries reserves the right to make specification and/or equipment changes without prior notification.

JLG EMEA BV

Polaris Avenue 63
2132 JH Hoofddorp
The Netherlands
Phone: +31 (0)23 565 5665
www.jlg.com

An Oshkosh Corporation Company

EXLEMA — EXPERT LEVAGE ET MANUTENTION

Fiche technique nacelle à mât vertical électrique JLG Toucan T10E

Exlema — Expert Levage et Manutention · 105 Rue 24 Essaada 2 Qods Bernoussi 20610 Casablanca

Location, vente et maintenance de nacelles au Maroc · Ouvert 24h/24 et 7j/7

06 61 36 09 35

WhatsApp +212 661 36 09 35 · contact@exlema.ma

exlema.ma